

















WIREWORLD Preisliste Mai 2011









Neue Produkte mit blauem Balken gezeichnet



SERIES 6 HDMI CABLES EXCEED THE HDMI V1.4 HIGH SPEED WITH ETHERNET SPECIFICATIONS, COVERING EVERY NEW CAPABILITY, INCLUDING ALL 3D FORMATS													
FLAT HDMI CABLES (all are UL-CL3 / CSA-FT4)	Conductor Materials Cable Design		0.3M (1 ft.)	0.5M (20in.)	1.0M (40 in.)	2.0M (6.5 ft.)	3.0M (10 ft.)	5.0M (16.5 ft.)	7.0M (23 ft.)	9.0M (30 ft.)	12.0M (40 ft.)	15.0M (50 ft.)	20.0M (65.5 ft.)
	Electrolytic copper 16 conductor Symmetricon High speed with Ethernet	Part Codes >>> Retail >>>	IHH0.3M <u>33.00</u>	IHH0.5M <u>38.00</u>	IHH1.0M <u>45.00</u>	IHH2.0M <u>54.00</u>	IHH3.0M <u>63.00</u>	IHH5.0M <u>81.00</u>	IHH7.0M <u>154.00</u>	IHH9.0M <u>179.00</u>	IHH12.0M <u>218.00</u>	n/a n/a	n/a n/a
	Oxygen-Free Copper 16 conductor Symmetricon High speed with Ethernet	Part Codes >>> Retail >>>	CHH0.3M <u>59.00</u>	CHH0.5M <u>64.00</u>	CHH1.0M <u>77.00</u>	CHH2.0M <u>89.00</u>	CHH3.0M <u>102.00</u>	CHH5.0M <u>128.00</u>	CHH7.0M <u>153.00</u>	CHH9.0M <u>192.00</u>	CHH12.0M <u>256.00</u>	n/a n/a	n/a n/a
	Silver-plated Oxygen-Free Copper 16 conductor Symmetricon High speed with Ethernet	Part Codes >>> Retail >>>	UHH0.3M <u>128.00</u>	n/a	UHH1.0M <u>154.00</u>	UHH2.0M <u>185</u>	UHH3.0M <u>217</u>	UHH5.0M <u>282</u>	UHH7.0M <u>345</u>	UHH9.0M <u>409</u>	UHH12.0M <u>505</u>	n/a n/a	n/a n/a
	Silver-clad Oxygen-Free Copper 16 conductor Symmetricon High speed with Ethernet	Part Codes >>> Retail >>>	SHH0.3M <u>217.00</u>	n/a	SHH1.0M <u>256.00</u>	SHH2.0M <u>320.00</u>	SHH3.0M <u>384.00</u>	SHH5.0M <u>512.00</u>	SHH7.0M <u>640.00</u>	SHH9.0M <u>768.00</u>	SHH12.0M <u>960.00</u>	n/a n/a	n/a n/a
	Silver-clad Oxygen-Free Copper 24 conductor DNA Helix High speed with Ethernet	Part Codes >>> Retail >>>	SSH0.3M <u>345.00</u>	SSH0.5M <u>371.00</u>	SSH1.0M <u>448.00</u>	SSH2.0M <u>608.00</u>	SSH3.0M <u>983.00</u>	SSH5.0M <u>1393.00</u>	SSH7.0M <u>1'802.00</u>	SSH9.0M <u>2'212.00</u>	SSH12.0M <u>2'826.00</u>	n/a n/a	n/a n/a
	solid silver 24 conductor DNA Helix High speed with Ethernet	Part Codes >>> Retail >>>	PSH0.3M <u>640.00</u>	PSH0.3M <u>896.00</u>	PSH1.0M <u>1280.00</u>	PSH2.0M <u>1'920.00</u>	PSH3.0M <u>2'560.00</u>	PSH5.0M <u>3'840.00</u>	PSH7.0M <u>5'120.00</u>	PSH9.0M <u>6'400.00</u>	PSH12.0M <u>8'320.00</u>	n/a n/a	n/a n/a




DISPLAYPORT VIDEO CABLE media receiver cable)	Materials		2.0M (6.5 ft.)	3.0M (10 ft.)	5.0M (16.5 ft.)	7.0M (23 ft.)	9.0M (30 ft.)	12.0M (40 ft.)
	Silver-plated Oxygen-Free Copper 24k gold-plated contacts (UL-CL3 / CSA-FT4)	Part Codes >>> Retail >>>	UDP2.0M <u>147.00</u>	UDP3.0M <u>179.00</u>	UDP5.0M <u>243.00</u>	UDP7.0M <u>307.00</u>	UDP9.0M <u>371.00</u>	UDP12.0M <u>467.00</u>







HDMI / DVI ADAPTERS			
HDMI female to DVI male (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMFDVDM <u>65.00</u>
HDMI male to DVI female (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMMDVDF <u>65.00</u>
HDMI female to HDMI female (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMIFF <u>28.00</u>
HDMI right angle (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMIANGL <u>28.00</u>
HDMI female to mini HDMI male (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	MINIHDMI <u>28.00</u>







HDMI / DVI ADAPTERS			
HDMI Repeater		Part Code >>> Retail >>>	HDMIRPT <u>328.00</u>
HDMI over CAT5e Transmitter / Receiver		Part Code >>> Retail >>>	HDCATBOX <u>622.00</u>
HDMI over CAT5e Wall Plate System		Part Code >>> Retail >>>	HDCATPLT <u>622.00</u>
HDMI to HDMI Wall Plate Repeater		Part Code >>> Retail >>>	IDWALLRPT <u>622.00</u>





COMPONENT VIDEO CABLES (BNC's are also available) (all are UL-CL2 / CSA-FT4)	Materials Cable design		Standard length cables						Custom length cables			Bulk cable	
			1.0M (40 in.)	2.0M (6.5 ft.)	3.0M (10 ft.)	6.0M (20 ft.)	9.0M (30 ft.)	12.0M (40 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge	50M/165ft spool	100M/330ft spool
 CHROMA 5 (CRC)  CHROMA 5 (CCV)	Oxygen-Free Copper conductors foamed polyethylene insulation gold / silver / OFC contacts 75-ohm coax (UL-CL2 / CSA-FT4)	Part codes >>>	CRC1.0M	CRC2.0M	CRC3.0M	CRC6.0M	CRC9.0M	CRC12.0M	CRCM000	CRCF000	CRCTERM	CRCM050	CRCM100
		Retail >>>	CCV1.0M	CCV2.0M	CCV3.0M	CCV6.0M	CCV9.0M	CCV12.0M	n/a	n/a	CCVTERM	n/a	n/a
			77.00	87.00	97.00	128.00	159.00	200.00	10.00	3.00	77.00	512.00	1024.00
 ULTRAVIOLET 5 (UVC)  ULTRAVIOLET 5 (UCV)	silver-clad OFC conductors foamed polyethylene insulation gold / silver / OFC contacts 75-ohm coax (UL-CL2 / CSA-FT4)	Part codes >>>	UVC1.0M	UVC2.0M	UVC3.0M	UVC6.0M	UVC9.0M	UVC12.0M	UVCM000	UVCF000	UVCTERM	UVCM050	n/a
		Retail >>>	UCV1.0M	UCV2.0M	UCV3.0M	UCV6.0M	UCV9.0M	UCV12.0M	n/a	n/a	UCVTERM	UVCM050	n/a
			147.00	166.00	186.00	243.00	301.00	358.00	19.00	6.00	128.00	960.00	n/a
 STARLIGHT 6 (STC)  STARLIGHT 6 (SCV)	OCC silver-clad copper conductor Composilex silver-clad OFC contacts 75-ohm DNA Helix (UL-CL2 / CSA-FT4)	Part codes >>>	STC1.0M	STC2.0M	STC3.0M	STC6.0M	STC9.0M	STC12.0M	STCM000	STCF000	STCTERM	n/a	n/a
		Retail >>>	SCV1.0M	SCV2.0M	SCV3.0M	SCV6.0M	SCV9.0M	SCV12.0M	n/a	n/a	SCVTERM	n/a	n/a
			346.00	499.00	653.00	1114.00	1574.00	2035.00	154.00	46.00	192.00	n/a	n/a
 SILVER STARLIGHT 6 (SSC)  SILVER STARLIGHT 6 (SSG)	OCC silver-clad copper conductor Composilex silver-clad OFC contacts 75-ohm DNA Helix	Part codes >>>	SSC1.0M	SSC2.0M	SSC3.0M	SSC6.0M	SSC9.0M	SSC12.0M	SSCM000	SSCF000	SSCTERM	n/a	n/a
		Retail >>>	SSG1.0M	SSG2.0M	SSG3.0M	SSG6.0M	SSG9.0M	SSG12.0M	n/a	n/a	SSGTERM	n/a	n/a
			1024.00	1408.00	1792.00	2944.00	4096.00	5248.00	384.00	115.00	640.00	n/a	n/a









S-VIDEO CABLES (S-Video DIN plugs) (all are UL-CL2 / CSA-FT4)	Materials		Standard length cables						Custom length cables			Bulk cable	
			0.5M (20 in.)	1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	3.0M (10 ft.)	6.0M (20 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge	50M/165ft spool	100M/330ft spool
 CHROMA 5 (CRS)	Oxygen-Free Copper conductors foamed polyethylene insulation gold / silver / copper alloy 75-ohm coax	Part codes >>>	n/a	CRS1.0M	n/a	CRS2.0M	CRS3.0M	CRS6.0M	CRSM000	CRSF000	CRSTERM	CRSM050	CRSM100
		Retail >>>	n/a	38.00	n/a	46.00	54.00	77.00	8.00	2.00	51.00	384.00	768.00
 ULTRAVIOLET 5 (UVS)	silver-clad OFC conductors foamed polyethylene insulation gold / silver / copper alloy 75-ohm coax	Part codes >>>	n/a	UVS1.0M	UVS1.5M	UVS2.0M	UVS3.0M	UVS6.0M	UVSM000	UVSF000	UVSTERM	UVSM050	UVSM100
		Retail >>>	n/a	77.00	84.00	92.00	107.00	154.00	15.00	5.00	61.00	768.00	1'536.00




RGBHV / VGA VIDEO CABLES (BNC's or HD-15/VGA plugs)	Materials		Standard length cables						Custom length cables			Bulk cable	
			1.0M (40 in.)	2.0M (6.5 ft.)	3.0M (10 ft.)	6.0M (20 ft.)	9.0M (30 ft.)	12.0M (40 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge	50M/165ft spool	100M/330ft spool
 CHROMA 5 (CRR)  CHROMA 5 (CVG)  CHROMA 5 (CVB)	Oxygen-Free Copper conductors foamed polyethylene insulation gold / silver / OFC contacts coaxial cable (UL-CL2 / CSA-FT4)	Part codes >>>	CRR1.0M	CRR2.0M	CRR3.0M	CRR6.0M	CRR9.0M	CRR12.0M	CRRM000	CRRF000	CRRTERM	CRRM050	CRRM100
		Retail >>>	CVG1.0M	CVG2.0M	CVG3.0M	CVG6.0M	CVG9.0M	CVG12.0M	CRRM000	CRRF000	CVGTERM	n/a	n/a
			110.00	125.00	141.00	187.00	233.00	279.00	15.00	5.00	95.00	768.00	1'536.00






COAXIAL DIGITAL AUDIO (75 ohms, RCA plugs or BNC's)	Materials Cable design		Standard length cables						Custom length cables			Bulk Cable	
			0.5M (20 in.)	1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	3.0M (10 ft.)	6.0M (20 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge	Small spool	Large spool
 CHROMA 5 (CRV)	Oxygen-Free Copper foamed polyethylene gold / silver / OFC contacts 75-ohm coaxial (UL-CL2 / CSA-FT4)	Part codes >>>	CRV0.5M	CRV1.0M	CRV1.5M	CRV2.0M	CRV3.0M	CRV6.0M	CRVM000	CRVF000	CRVTERM	CRVM050	CRVM100
		Retail >>>	23.00	26.00	28.00	30.00	34.00	48.00	4.00	1.35	24.00	224.00	448.00
 ULTRAVIOLET 5 (UVV)	silver-plated OFC foamed polyethylene gold / silver / OFC contacts 75-ohm coaxial (UL-CL2 / CSA-FT4)	Part codes >>>	UVV0.5M	UVV1.0M	UVV1.5M	UVV2.0M	UVV3.0M	UVV6.0M	UVVM000	UVVF000	UVVTERM	UVVM050	UVVM100
		Retail >>>	40.00	45.00	50.00	54.00	64.00	93.00	10.00	3.00	35.00	480.00	960.00
 STARLIGHT 6 (STV)	silver-clad OCC & OFC Composilex silver-clad OFC contacts 75-ohm DNA Helix (UL-CL2 / CSA-FT4)	Part codes >>>	STV0.5M	STV1.0M	STV1.5M	STV2.0M	STV3.0M	STV6.0M	STVM000	STVF000	STVTERM	STVM030	n/a
		Retail >>>	76.00	102.00	127.00	153.00	204.00	358.00	51.20	15.35	51.15	1'536.00	n/a
 SILVER STARLIGHT 6 (SSV)	OCC silver-clad copper Composilex silver-clad OFC contacts 75-ohm DNA Helix	Part codes >>>	SSV0.5M	SSV1.0M	SSV1.5M	SSV2.0M	SSV3.0M	SSV6.0M	SSVM000	SSVF000	SSVTERM	SSVM030	n/a
		Retail >>>	255.00	319.00	383.00	447.00	575.00	959.00	128.00	38.40	191.90	3'840.00	n/a
 GOLD STARLIGHT 6 (GSV)	OCC solid silver Composilex silver-clad OFC contacts DNA Helix	Part codes >>>	GSV0.5M	GSV1.0M	GSV1.5M	GSV2.0M	GSV3.0M	GSV6.0M	GSVM000	GSVF000	GSVTERM	GSVM030	n/a
		Retail >>>	415.00	639.00	863.00	1070.00	1535.00	2878.00	448.00	134.40	191.90	13'440.00	n/a
 PLATINUM STARLIGHT 6 (PSV)	OCC solid silver Composilex silver-clad OFC contacts 75-ohm DNA Helix	Part codes >>>	PSV0.5M	PSV1.0M	PSV1.5M	PSV2.0M	PSV3.0M	PSV6.0M	PSVM000	PSVF000	PSVTERM	PSVM025	n/a
		Retail >>>	1'088.00	1'920.00	2'752.00	3'584.00	5'248.00	10'240.00	1'664.00	499.00	256.00	41'600.00	n/a





VIDEO ADAPTERS			
	Part code >>> Retail >>>	VGAM5FF 64.00	
	Part code >>> Retail >>>	VGAF5BM 64.00	
	Part code >>> Retail >>>	VGAM5BF 64.00	
	Part code >>> Retail >>>	HD15FHD15F 13.00	
	Part code >>> Retail >>>	HD15MHD15M 13.00	
	Part code >>> Retail >>>	SVDM2FF 32.00	






AUDIO Y-ADAPTERS			
	Part Code >>> Part Code >>> Retail >>>	TEIYMFF TEIYFMM 15.00	
	Part Code >>> Part Code >>> Retail >>>	LUIYMFF LUIYFMM 34.00	
	Part Code >>> Part Code >>> Retail >>>	SOIYMFF SOIYFMM 51.00	
	Part Code >>> Part Code >>> Retail >>>	OAIYMFF OAIYFMM 96.00	










USB AUDIO CABLES	Conductor material Insulation Cable design		0.3M	0.5M	1.0M	1.5M	2.0M	3.0M	5.0M	7.0M
			(1 ft.)	(20 in.)	(40 in.)	(5 ft.)	(6.5 ft.)	(10 ft.)	(16.5 ft.)	(23 ft.)
	Silver-plated Oxygen-Free Copper foamed polyethylene 4 conductor Symmetricon precision 90-ohm impedance	Part codes >>> Retail >>>	n/a	USB0.5M 58.00	USB1.0M 64.00	n/a	USB2.0M 77.00	USB3.0M 90.00	USB5.0M 115.00	USB7.0M 141.00
	Silver-plated Oxygen-Free Copper foamed polyethylene 4 conductor Symmetricon precision 90-ohm impedance	Part codes >>> Retail >>>	n/a	USM0.5M 58.00	USM1.0M 64.00	n/a	USM2.0M 77.00	n/a	n/a	n/a
	Silver-clad Oxygen-Free Copper foamed polyethylene 4 conductor Symmetricon precision 90-ohm impedance	Part codes >>> Retail >>>	n/a	STB0.5M 115.00	STB1.0M 128.00	n/a	STB2.0M 154.00	STB3.0M 179.00	STB5.0M 230.00	STB7.0M 282.00
	Silver-clad Oxygen-Free Copper foamed polyethylene 4 conductor Symmetricon precision 90-ohm impedance	Part codes >>> Retail >>>	n/a	STM0.5M 115.00	STM1.0M 128.00	n/a	STM2.0M 154.00	n/a	n/a	n/a
	Silver-clad Oxygen-Free Copper foamed polyethylene 6 conductor DNA Helix precision 90-ohm impedance	Part codes >>> Retail >>>	SSB0.3M 339.00	SSB0.5M 352.00	SSB1.0M 384.00	SSB1.5M 416.00	SSB2.0M 448.00	SSB3.0M 512.00	SSB5.0M 640.00	n/a
	Silver-clad Oxygen-Free Copper foamed polyethylene 6 conductor DNA Helix precision 90-ohm impedance	Part codes >>> Retail >>>	n/a	SUM0.5M 352.00	SUM1.0M 384.00	n/a	SUM2.0M 448.00	n/a	n/a	n/a
	solid silver foamed polyethylene 6 conductor DNA Helix precision 90-ohm impedance	Part codes >>> Retail >>>	PSB0.5M 589.00	PSB0.5M 640.00	PSB1.0M 768.00	PSB2.0M 896.00	PSB2.0M 1'024.00	PSB3.0M 1'280.00	PSB5.0M 1792.00	n/a
	solid silver foamed polyethylene 6 conductor DNA Helix precision 90-ohm impedance	Part codes >>> Retail >>>	n/a	PSM0.5M 640.00	PSM1.0M 768.00	n/a	PSM2.0M 1'024.00	n/a	n/a	n/a

TOSLINK OPTICAL DIGITAL AUDIO	Conductor material		0.3M	0.5M	1.0M	2.0M	3.0M	5.0M	8.0M
			(1 ft.)	(20 in.)	(40 in.)	(6.5 ft.)	(10 ft.)	(16.5 ft.)	(26 ft.)
	280 glass fibers	Part codes >>> Retail >>>	n/a	STO0.5M 173.00	STO1.0M 192.00	STO2.0M 230.00	STO3.0M 269.00	STO5.0M 371.00	STO8.0M 499.00
	280 glass fibers	Part codes >>> Retail >>>	SMO0.3M 141.00	SMO0.5M 173.00	SMO1.0M 192.00	SMO2.0M 230.00	SMO3.0M 269.00	SMO5.0M 371.00	SMO8.0M 499.00
	PMMA monofilament	Part codes >>> Retail >>>	n/a	n/a	NTO1.0M 51.00	NTO2.0M 64.00	NTO3.0M 77.00	NTO5.0M 90.00	n/a







MINI JACK TO MINI JACK 3.5mm jack to 3.5mm jack	Materials Cable design		Standard length cables						Custom length cables		
			1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	3.0M (10 ft.)	5.0M (16.5 ft.)	7.0M (23 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge
	Oxygen-Free Copper HDPE insulation 24K gold plated plugs coaxial cable	1 to 2 RCAs Part codes >>> Retail >>>	n/a	IP A1.5M <u>26.00</u>	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	Oxygen-Free Copper Composilex insulation gold / silver / OFC RCA contacts DNA Helix cable	1 to 2 RCAs Part codes >>> jack M to M Part codes >>> Retail >>>	LUM1.0M <u>47.00</u>	LUM1.5M <u>52.00</u>	LUM2.0M <u>58.00</u>	LUM3.0M <u>68.00</u>	LUM5.0M <u>88.00</u>	LUM7.0M <u>109.00</u>	LUIM000 <u>10.00</u>	LUIF000 <u>3.00</u>	LUMTERM <u>45.00</u>
	Silver-plated OFC conductors Composilex insulation gold / silver / OFC RCA contacts DNA Helix cable	jack M to 2 RCAs Part codes >>> jack M to M Part codes >>> Retail >>>	SOM1.0M <u>77.00</u>	SOM1.5M <u>90.00</u>	SOM2.0M <u>102.00</u>	SOM3.0M <u>128.00</u>	SOM5.0M <u>179.00</u>	SOM7.0M <u>230.00</u>	SOIM000 <u>26.00</u>	SOIF000 <u>8.00</u>	SOMTERM <u>51.00</u>
	Oxygen-Free Copper conductors Composilex insulation silver-clad OFC RCA contacts DNA Helix cable	jack M to 2 RCAs Part codes >>> jack M to M Part codes >>> jack F to M Part codes >>> Retail >>>	OAM1.0M <u>109.00</u>	OAM1.5M <u>125.00</u>	OAM2.0M <u>141.00</u>	OAM3.0M <u>173.00</u>	OAM5.0M <u>237.00</u>	OAM7.0M <u>301.00</u>	OAIM000 <u>32.00</u>	OAIF000 <u>10.00</u>	OAMTERM <u>77.00</u>
	OCC copper conductors Composilex insulation silver-clad OFC RCA contacts DNA Helix cable	jack M to 2 RCAs Part codes >>> jack M to M Part codes >>> jack F to M Part codes >>> Retail >>>	EQM1.0M <u>166.00</u>	EQM1.5M <u>211.00</u>	EQM2.0M <u>256.00</u>	EQM3.0M <u>346.00</u>	EQM5.0M <u>525.00</u>	EQM7.0M <u>704.00</u>	EQIM000 <u>90.00</u>	EQIF000 <u>27.00</u>	EQMTERM <u>77.00</u>






BALANCED DIGITAL CABLES (110-ohm, XLR female to XLR male)	Materials Cable design		Standard length cables						Custom length cables		
			0.5M (20 in.)	1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	3.0M (10 ft.)	6.0M (20 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge
	Oxygen-Free Copper conductors Composilex insulation silver-clad copper alloy contacts 110-ohm DNA Helix	Part codes >>> Retail >>>	OBA0.5M <u>55.00</u>	OBA1.0M <u>70.00</u>	OBA1.5M <u>87.00</u>	OBA2.0M <u>102.00</u>	OBA3.0M <u>134.00</u>	OBA6.0M <u>230.00</u>	OBAM000 <u>32.00</u>	OBAF000 <u>10.00</u>	OBATERM <u>38.00</u>
	OCC copper conductors Composilex insulation silver-clad copper alloy contacts 110-ohm DNA Helix	Part codes >>> Retail >>>	STA0.5M <u>83.00</u>	STA1.0M <u>128.00</u>	STA1.5M <u>173.00</u>	STA2.0M <u>218.00</u>	STA3.0M <u>307.00</u>	STA6.0M <u>576.00</u>	STAM000 <u>90.00</u>	STAF000 <u>27.00</u>	STATERM <u>38.00</u>
	OCC solid silver conductors microporous Teflon insulation silver-clad copper alloy contacts 110-ohm dual coax	Part codes >>> Retail >>>	GSA0.5M <u>320.00</u>	GSA1.0M <u>512.00</u>	GSA1.5M <u>704.00</u>	GSA2.0M <u>896.00</u>	GSA3.0M <u>1280.00</u>	GSA6.0M <u>2432.00</u>	GSAM000 <u>384.00</u>	GSAF000 <u>115.00</u>	GSATERM <u>128.00</u>
	OCC solid silver conductors Composilex insulation silver-clad OFC contacts 110-ohm DNA Helix	Part codes >>> Retail >>>	PSA0.5M <u>1'088.00</u>	PSA1.0M <u>1'920.00</u>	PSA1.5M <u>2'752.00</u>	PSA2.0M <u>3'584.00</u>	PSA3.0M <u>5'248.00</u>	PSA6.0M <u>10'240.00</u>	PSAM000 <u>1'664.00</u>	PSAF000 <u>499.00</u>	PSATERM <u>256.00</u>








SUBWOOFER CABLES (1 RCA male to 1 RCA male)	Materials Cable design		Standard length cables			Custom length cables		
			4.0M (13 ft.)	6.0M (20 ft.)	8.0M (26 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge
	Oxygen-Free Copper conductors high-density polyethylene insulation gold / silver / OFC contacts Flat DNA	Part codes >>> Retail >>>	TSM4.0M <u>32.00</u>	TSM6.0M <u>38.00</u>	TSM8.0M <u>45.00</u>	n/a	n/a	n/a
	Oxygen-Free Copper conductors Composilex insulation gold / silver / OFC contacts DNA Helix	Part codes >>> Retail >>>	LSM4.0M <u>46.00</u>	LSM6.0M <u>56.00</u>	LSM8.0M <u>66.00</u>	LSMM000 <u>5.00</u>	LSMF000 <u>2.00</u>	LSMTERM <u>26.00</u>
	Silver-clad OFC conductors Composilex insulation gold / silver / OFC contacts DNA Helix	Part codes >>> Retail >>>	SSM4.0M <u>83.00</u>	SSM6.0M <u>109.00</u>	SSM8.0M <u>134.00</u>	SSMM000 <u>13.00</u>	SSMF000 <u>4.00</u>	SSMTERM <u>32.00</u>
	Oxygen-Free Copper conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	OSM4.0M <u>179.00</u>	OSM6.0M <u>243.00</u>	OSM8.0M <u>307.00</u>	OAIM000 <u>32.00</u>	OAI F000 <u>10.00</u>	OSMTERM <u>51.00</u>
	OCC Copper conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	ESM4.0M <u>397.00</u>	ESM6.0M <u>576.00</u>	ESM8.0M <u>755.00</u>	EQIM000 <u>90.00</u>	EQIF000 <u>27.00</u>	ESMTERM <u>51.00</u>






AUDIO INTERCONNECT PAIRS (2 RCA males to 2 RCA males)	Materials Cable design		Standard length pairs						Custom length pairs			Bulk cable	
			0.5M (20 in.)	1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	3.0M (10 ft.)	6.0M (20 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge	50M/165ft spool	100M/330ft spool
 TERRA 6 (TEI)	Oxygen-Free Copper conductors high-density polyethylene insulation gold / nickel / brass contacts Flat DNA	Part codes >>> Retail >>>	n/a	TEI1.0M <u>26.00</u>	TEI1.5M <u>29.00</u>	TEI2.0M <u>33.00</u>	TEI3.0M <u>41.00</u>	TEI6.0M <u>64.00</u>	n/a	n/a	n/a	n/a	n/a
 LUNA 6 (LUI)	Oxygen-Free Copper Composilex insulation gold / silver / OFC contacts DNA Helix	Part codes >>> Retail >>>	LUI0.5M <u>42.00</u>	LUI1.0M <u>47.00</u>	LUI1.5M <u>52.00</u>	LUI2.0M <u>58.00</u>	LUI3.0M <u>68.00</u>	LUI6.0M <u>98.00</u>	LUIM000 <u>10.00</u>	LUIF000 <u>3.00</u>	LUITERM <u>45.00</u>	LUIM050 <u>512.00</u>	LUIM100 <u>1'024.00</u>
 SOLSTICE 6 (SOI)	Silver-plated OFC conductors Composilex insulation gold / silver / OFC contacts DNA Helix	Part codes >>> Retail >>>	SOI0.5M <u>64.00</u>	SOI1.0M <u>77.00</u>	SOI1.5M <u>90.00</u>	SOI2.0M <u>102.00</u>	SOI3.0M <u>128.00</u>	SOI6.0M <u>205.00</u>	SOIM000 <u>26.00</u>	SOIF000 <u>8.00</u>	SOITERM <u>51.00</u>	SOIM050 <u>1'280.00</u>	SOIM100 <u>2'560.00</u>
 OASIS 6 (OAI)	Oxygen-Free Copper conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	OAI0.5M <u>109.00</u>	OAI1.0M <u>141.00</u>	OAI1.5M <u>173.00</u>	OAI2.0M <u>205.00</u>	OAI3.0M <u>269.00</u>	OAI6.0M <u>461.00</u>	OAIM000 <u>32.00</u>	OAIF000 <u>10.00</u>	OAITERM <u>77.00</u>	OAIM050 <u>1'600.00</u>	OAIM100 <u>3'200.00</u>
 EQUINOX 6 (EQI)	OCC copper conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	EQI0.5M <u>109.00</u>	EQI1.0M <u>141.00</u>	EQI1.5M <u>173.00</u>	EQI2.0M <u>205.00</u>	EQI3.0M <u>269.00</u>	EQI6.0M <u>461.00</u>	EQIM000 <u>32.00</u>	EQIF000 <u>10.00</u>	EQITERM <u>77.00</u>	EQIM050 <u>1'600.00</u>	EQIM100 <u>3'200.00</u>
 ECLIPSE 6 (ECI)	OCC copper conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	ECI0.5M <u>416.00</u>	ECI1.0M <u>576.00</u>	ECI1.5M <u>736.00</u>	ECI2.0M <u>896.00</u>	ECI3.0M <u>1'216.00</u>	ECI6.0M <u>2'176.00</u>	ECIM000 <u>160.00</u>	ECIF000 <u>48.00</u>	ECITERM <u>256.00</u>	ECIM025 <u>4'000.00</u>	ECIM050 <u>8'000.00</u>
 SILVER ECLIPSE 6 (SEI)	OCC silver-clad copper Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	SEI0.5M <u>576.00</u>	SEI1.0M <u>896.00</u>	SEI1.5M <u>1'216.00</u>	SEI2.0M <u>1'536.00</u>	SEI3.0M <u>2'176.00</u>	SEI6.0M <u>4'096.00</u>	SEIM000 <u>320.00</u>	SEIF000 <u>96.00</u>	SEITERM <u>256.00</u>	SEIM025 <u>8'000.00</u>	SEIM050 <u>16'000.00</u>
 GOLD ECLIPSE 6 (GEI)	OCC solid silver conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	GEI0.5M <u>1'152.00</u>	GEI1.0M <u>2'048.00</u>	GEI1.5M <u>2'944.00</u>	GEI2.0M <u>3'840.00</u>	GEI3.0M <u>5'632.00</u>	GEI6.0M <u>11'008.00</u>	GEIM000 <u>896.00</u>	GEIF000 <u>269.00</u>	GEITERM <u>256.00</u>	GEIM025 <u>22'400.00</u>	GEIM050 <u>44'800.00</u>
 PLATINUM ECLIPSE (PEI)	OCC solid silver conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	PEI0.5M <u>2'176.00</u>	PEI1.0M <u>3'840.00</u>	PEI1.5M <u>5'504.00</u>	PEI2.0M <u>7'168.00</u>	PEI3.0M <u>10'496.00</u>	PEI6.0M <u>20'480.00</u>	PEIM000 <u>1'664.00</u>	PEIF000 <u>499.00</u>	PEITERM <u>512.00</u>	PEIM025 <u>41'600.00</u>	PEIM050 <u>83'200.00</u>










NOTE: All Wireworld Interconnects are available as 5, 6 & 7 channel sets.






BALANCED INTERCONNECTS (2 XLR females to 2 XLR males)	Materials Cable design		Standard length sets						Custom length sets				
			0.5M (20 in.)	1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	3.0M (10 ft.)	6.0M (20 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge		
 OASIS 6 (OBI)	Oxygen-Free Copper conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	OBI0.5M <u>109.00</u>	OBI1.0M <u>141.00</u>	OBI1.5M <u>173.00</u>	OBI2.0M <u>205.00</u>	OBI3.0M <u>269.00</u>	OBI6.0M <u>461.00</u>	OAIM000 <u>32.00</u>	OAIF000 <u>10.00</u>	OBITERM <u>77.00</u>		
 EQUINOX 6 (QBI)	OCC copper conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	QBI0.5M <u>166.00</u>	QBI1.0M <u>256.00</u>	QBI1.5M <u>346.00</u>	QBI2.0M <u>435.00</u>	QBI3.0M <u>614.00</u>	QBI6.0M <u>1'152.00</u>	EQIM000 <u>90.00</u>	EQIF000 <u>27.00</u>	QBITERM <u>77.00</u>		
 ECLIPSE 6 (EBI)	OCC copper conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	EBI0.5M <u>416.00</u>	EBI1.0M <u>576.00</u>	EBI1.5M <u>736.00</u>	EBI2.0M <u>896.00</u>	EBI3.0M <u>1'216.00</u>	EBI6.0M <u>2'176.00</u>	ECIM000 <u>160.00</u>	ECIF000 <u>48.00</u>	EBITERM <u>256.00</u>		
 SILVER ECLIPSE 6 (SBI)	OCC silver-clad copper Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	SBI0.5M <u>416.00</u>	SBI1.0M <u>576.00</u>	SBI1.5M <u>736.00</u>	SBI2.0M <u>896.00</u>	SBI3.0M <u>1'216.00</u>	SBI6.0M <u>2'176.00</u>	SEIM000 <u>160.00</u>	SEIF000 <u>48.00</u>	SBITERM <u>256.00</u>		
 GOLD ECLIPSE 6 (GBI)	OCC solid silver conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	GBI0.5M <u>1'152.00</u>	GBI1.0M <u>2'048.00</u>	GBI1.5M <u>2'944.00</u>	GBI2.0M <u>3'840.00</u>	GBI3.0M <u>5'632.00</u>	GBI6.0M <u>11'008.00</u>	GEIM000 <u>896.00</u>	GEIF000 <u>269.00</u>	GBITERM <u>256.00</u>		
 PLATINUM ECLIPSE (BPI)	OCC solid silver conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	BPI0.5M <u>2'785.00</u>	BPI1.0M <u>4'915.00</u>	BPI1.5M <u>7'045.00</u>	BPI2.0M <u>9'175.00</u>	BPI3.0M <u>13'435.00</u>	BPI6.0M <u>26'214.00</u>	PEIM000 <u>2'130.00</u>	PEIF000 <u>639.00</u>	BPITERM <u>655.00</u>		



TONEARM CABLES (Female Tonearm DIN to 2 RCA's or 2 XLR males)	Materials Cable Design		RCA TONEARM CABLES			XLR TONEARM CABLES		
			1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)
 EQUINOX 6	OCC copper conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	EQT1.0M 384.00	EQT1.5M 474.00	EQT2.0M 563.00	QBT1.0M 384.00	QBT1.5M 474.00	QBT2.0M 563.00
 ECLIPSE 6	OCC copper conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	ECT1.0M 704.00	ECT1.5M 864.00	ECT2.0M 1'024.00	EBT1.0M 704.00	EBT1.5M 864.00	EBT2.0M 1'024.00
 SILVER ECLIPSE 6	OCC silver-clad copper Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	SET1.0M 1'024.00	SET1.5M 1'344.00	SET2.0M 1'664.00	SBT1.0M 1'024.00	SBT1.5M 1'344.00	SBT2.0M 1'664.00
 GOLD ECLIPSE 6	OCC solid silver conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	GET1.0M 2'176.00	GET1.5M 3'072.00	GET2.0M 3'968.00	GBT1.0M 2'176.00	GBT1.5M 3'072.00	GBT2.0M 3'968.00
 PLATINUM ECLIPSE	OCC solid silver conductors Composilex insulation silver-clad OFC contacts DNA Helix	Part codes >>> Retail >>>	PET1.0M 3'968.00	PET1.5M 5'632.00	PET2.0M 7'296.00	BPT1.0M 3'968.00	BPT1.5M 5'632.00	BPT2.0M 7'296.00


STANDARD SPEAKER CABLES (spades standard, bananas optional)	Materials Cable design		Standard length pairs					Custom length pairs			Bulk cable	
			2.0M (6.5 ft.)	2.5M (8 ft.)	3.0M (10 ft.)	5.0M (16.5 ft.)	6.0M (20 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge	Small spool	Large spool
 HORIZON 5 ² (HOS)	16ga./1.25mm ² 2 flat oxygen-free copper conductors TPE insulation - Flat DNA cable gold / silver / OFC spades or banana	Part codes >>> Retail >>>	HOS2.0M 84.00	HOS2.5M 90.00	HOS3.0M 95.00	HOS5.0M 115.00	HOS6.0M 125.00	HOSM000 5.00	HOSF000 2.00	HOSTERM 64.00	HOSM100 512.00	n/a n/a
 STREAM 16/2 (ST2) CL3 / FT4	16ga./1.25mm ² 2 flat oxygen-free copper conductors HDPE insulation - DNA Helix cable gold / silver / OFC spades or banana	Part codes >>> Retail >>>	ST22.0M 102.00	ST22.5M 109.00	ST23.0M 115.00	ST25.0M 141.00	ST26.0M 154.00	ST2M000 6.00	ST2F000 2.00	ST2TERM 77.00	ST2M075 480.00	ST2M150 960.00
 LUNA 16/4 (LU4) CL3 / FT4	13ga./2.5mm ² 4 flat oxygen-free copper conductors HDPE insulation - DNA Helix cable gold / silver / OFC spades or banana	Part codes >>> Retail >>>	LUS2.0M 130.00	LUS2.5M 141.00	LUS3.0M 151.00	LUS5.0M 192.00	LUS6.0M 212.00	LU4M000 10.00	LU4F000 3.00	LUSTERM 90.00	LU4M075 768.00	LU4M150 1'536.00
 ORBIT 16/4 (OR4) CL3 / FT4	13ga./2.5mm ² 4 flat silver-clad OFC conductors HDPE insulation - DNA Helix cable gold / silver / OFC spades or banana	Part codes >>> Retail >>>	ORS2.0M 166.00	ORS2.5M 186.00	ORS3.0M 205.00	ORS5.0M 282.00	ORS6.0M 320.00	OR4M000 19.00	OR4F000 6.00	ORSTERM 90.00	OR4M075 1'440.00	n/a n/a
 SOLSTICE 6 (SOS) CL3 / FT4	12ga./3.5mm ² 4 flat oxygen-free copper conductors HDPE insulation - DNA Helix cable gold / silver / OFC spades or banana	Part codes >>> Retail >>>	SOS2.0M 288.00	SOS2.5M 320.00	SOS3.0M 352.00	SOS5.0M 480.00	SOS6.0M 544.00	SOSM000 32.00	SOSF000 10.00	SOSTERM 160.00	SOSM025 800.00	SOSM075 2'400.00
 OASIS 6 (OAS) CL3 / FT4	10ga./4.6mm ² 4 flat oxygen-free copper conductors HDPE insulation - DNA Helix cable silver-clad OFC spades or banana	Part codes >>> Retail >>>	OAS2.0M 365.00	OAS2.5M 416.00	OAS3.0M 467.00	OAS5.0M 672.00	OAS6.0M 774.00	OASM000 51.00	OASF000 15.00	OASTERM 160.00	OASM025 1'280.00	OASM075 3'840.00
 EQUINOX 6 (EQS) CL3 / FT4	12ga./3.5mm ² 4 flat OCC copper conductors HDPE insulation - DNA Helix cable silver-clad OFC spades or banana	Part codes >>> Retail >>>	EQS2.0M 774.00	EQS2.5M 928.00	EQS3.0M 1'082.00	EQS5.0M 1'696.00	EQS6.0M 2'003.00	EQSM000 154.00	EQSF000 46.00	EQSTERM 160.00	EQSM025 3'840.00	EQSM075 11'520.00


	18ga./0.76mm ² 2 flat OCC copper conductors HDPE insulation - DNA Helix cable silver-clad OFC spades or banana	Part codes >>> Retail >>>	MES2.0M <u>256.00</u>	MES2.5M <u>294.00</u>	MES3.0M <u>333.00</u>	MES5.0M <u>486.00</u>	MES6.0M <u>563.00</u>	MESM000 <u>38.00</u>	MESF000 <u>12.00</u>	MESTERM <u>102.00</u>	MESM050 <u>1'920.00</u>	MESM100 <u>3'840.00</u>
	10ga./4.6mm ² 12 flat OCC copper conductors HDPE insulation - Diagonal DNA silver-clad OFC spades or banana	Part codes >>> Retail >>>	ECS2.0M <u>1'446.00</u>	ECS2.5M <u>1'728.00</u>	ECS3.0M <u>2'010.00</u>	ECS5.0M <u>3'136.00</u>	ECS6.0M <u>3'699.00</u>	ECSM000 <u>282.00</u>	ECSF000 <u>84.00</u>	ECSTERM <u>320.00</u>	ECSM025 <u>7'040.00</u>	ECSM050 <u>14'080.00</u>
	10ga./4.6mm ² 12 flat OCC silver-clad copper conductors HDPE insulation - Diagonal DNA silver-clad OFC spades or banana	Part codes >>> Retail >>>	SES2.0M <u>2'573.00</u>	SES2.5M <u>3'136.00</u>	SES3.0M <u>3'699.00</u>	SES5.0M <u>5'952.00</u>	SES6.0M <u>7'078.00</u>	SESM000 <u>563.00</u>	SESF000 <u>169.00</u>	SESTERM <u>320.00</u>	SESM025 <u>14'080.00</u>	SESM050 <u>28'160.00</u>
	10ga./4.6mm ² 12 flat OCC solid silver conductors HDPE insulation - Diagonal DNA silver-clad OFC spades or banana	Part codes >>> Retail >>>	GES2.0M <u>9'024.00</u>	GES2.5M <u>11'200.00</u>	GES3.0M <u>13'376.00</u>	GES5.0M <u>22'080.00</u>	GES6.0M <u>26'432.00</u>	GESM000 <u>2'176.00</u>	GESF000 <u>653.00</u>	GESTERM <u>320.00</u>	GESM025 <u>54'400.00</u>	GESM050 <u>108'800.00</u>
	9ga./5.4mm ² 18 flat OCC solid silver conductors HDPE insulation - Diagonal DNA silver-clad OFC spades or banana	Part codes >>> Retail >>>	PES2.0M <u>16'896.00</u>	PES2.5M <u>20'992.00</u>	PES3.0M <u>25'088.00</u>	PES5.0M <u>41'472.00</u>	PES6.0M <u>49'664.00</u>	PESM000 <u>4'096.00</u>	PESF000 <u>1'229.00</u>	PESTERM <u>512.00</u>	PESM020 <u>81'920.00</u>	PESM040 <u>163'840.00</u>



BIWIRED SPEAKER CABLES spades standard, banana plugs optional (all are UL-CL3 / CSA-FT4)	Materials Cable design		Standard length pairs					Custom length pairs			Bulk cable	
			2.0M (6.5 ft.)	2.5M (8 ft.)	3.0M (10 ft.)	5.0M (16.5 ft.)	6.0M (20 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge	Small spool	Large spool
	13ga./2.5mm ² 4 flat oxygen-free copper conductors HDPE insulation - DNA Helix gold / silver / OFC spades or banana	Part codes >>> Retail >>>	LUB2.0M <u>169.00</u>	LUB2.5M <u>179.00</u>	LUB3.0M <u>189.00</u>	LUB5.0M <u>230.00</u>	LUB6.0M <u>251.00</u>	LU4M000 <u>10.00</u>	LU4F000 <u>3.00</u>	LUBTERM <u>128.00</u>	LU4M075 <u>768.00</u>	LU4M150 <u>1'536.00</u>
	13ga./2.5mm ² 4 flat silver-clad OFC conductors HDPE insulation - DNA Helix gold / silver / OFC spades or banana	Part codes >>> Retail >>>	ORB2.0M <u>205.00</u>	ORB2.5M <u>224.00</u>	ORB3.0M <u>243.00</u>	ORB5.0M <u>320.00</u>	ORB6.0M <u>358.00</u>	OR4M000 <u>19.00</u>	OR4F000 <u>6.00</u>	ORBTERM <u>128.00</u>	OR4M075 <u>1'440.00</u>	n/a n/a n/a
	12ga./3.5mm ² 4 flat oxygen-free copper conductors HDPE insulation - DNA Helix gold / silver / OFC spades or banana	Part codes >>> Retail >>>	SOB2.0M <u>320.00</u>	SOB2.5M <u>352.00</u>	SOB3.0M <u>384.00</u>	SOB5.0M <u>512.00</u>	SOB6.0M <u>576.00</u>	SOSM000 <u>32.00</u>	SOSF000 <u>10.00</u>	SOBTERM <u>192.00</u>	SOSM025 <u>800.00</u>	SOSM075 <u>2'400.00</u>
	10ga./4.6mm ² 4 flat oxygen-free copper conductors HDPE insulation - DNA Helix silver-clad OFC spades or banana	Part codes >>> Retail >>>	OAB2.0M <u>397.00</u>	OAB2.5M <u>448.00</u>	OAB3.0M <u>499.00</u>	OAB5.0M <u>704.00</u>	OAB6.0M <u>806.00</u>	OASM000 <u>51.00</u>	OASF000 <u>15.00</u>	OABTERM <u>192.00</u>	OASM025 <u>1'280.00</u>	OASM075 <u>3'840.00</u>
	12ga./3.5mm ² 4 flat OCC copper conductors HDPE insulation - DNA Helix silver-clad OFC spades or banana	Part codes >>> Retail >>>	EQB2.0M <u>806.00</u>	EQB2.5M <u>960.00</u>	EQB3.0M <u>1'114.00</u>	EQB5.0M <u>1'728.00</u>	EQB6.0M <u>2'035.00</u>	EQSM000 <u>154.00</u>	EQSF000 <u>46.00</u>	EQBTERM <u>192.00</u>	EQSM025 <u>3'840.00</u>	EQSM075 <u>11'520.00</u>
	10ga./4.6mm ² 12 flat OCC copper conductors HDPE insulation - Diagonal DNA silver-clad OFC spades or banana	Part codes >>> Retail >>>	ECB2.0M <u>1'510.00</u>	ECB2.5M <u>1'792.00</u>	ECB3.0M <u>2'074.00</u>	ECB5.0M <u>3'200.00</u>	ECB6.0M <u>3'635.00</u>	ECSM000 <u>282.00</u>	ECSF000 <u>84.00</u>	ECBTERM <u>384.00</u>	ECSM025 <u>7'040.00</u>	ECSM050 <u>14'080.00</u>
	10ga./4.6mm ² 12 flat OCC silver-clad copper conductors HDPE insulation - Diagonal DNA silver-clad OFC spades or banana	Part codes >>> Retail >>>	SEB2.0M <u>2'637.00</u>	SEB2.5M <u>3'200.00</u>	SEB3.0M <u>3'763.00</u>	SEB5.0M <u>6'016.00</u>	SEB6.0M <u>7'142.00</u>	SESM000 <u>563.00</u>	SESF000 <u>169.00</u>	SEBTERM <u>384.00</u>	SESM025 <u>14'080.00</u>	SESM050 <u>28'160.00</u>
	10ga./4.6mm ² 12 flat OCC solid silver conductors HDPE insulation - Diagonal DNA silver-clad OFC spades or banana	Part codes >>> Retail >>>	GEB2.0M <u>9'088.00</u>	GEB2.5M <u>11'264.00</u>	GEB3.0M <u>13'440.00</u>	GEB5.0M <u>22'144.00</u>	GEB6.0M <u>26'496.00</u>	GESM000 <u>2'176.00</u>	GESF000 <u>653.00</u>	GEBTERM <u>384.00</u>	GESM025 <u>54'400.00</u>	GESM050 <u>108'800.00</u>
	9ga./5.4mm ² 18 flat OCC solid silver conductors HDPE insulation - Diagonal DNA silver-clad OFC spades or banana	Part codes >>> Retail >>>	PEB2.0M <u>17'024.00</u>	PEB2.5M <u>21'120.00</u>	PEB3.0M <u>25'216.00</u>	PEB5.0M <u>41'600.00</u>	PEB6.0M <u>49'792.00</u>	PESM000 <u>4'096.00</u>	PESF000 <u>1'229.00</u>	PEBTERM <u>640.00</u>	PESM020 <u>81'920.00</u>	PESM040 <u>163'840.00</u>













FLAT POWER CORDS Ultra-quiet and flexible (US, EU, or UK wall plug to IEC 15A)	Materials Cable design		Standard length pairs			Custom lengths and terminations		
			1.0M (40 in.)	2.0M (6.5 ft.)	3.0M (10 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly Charge
STRATUS 5 ² Power Cord (STP) 12ga./3mm ² 	oxygen-free copper conductors Composilex insulation silver-clad brass contacts Noise Filtering Array	Part codes >>> Retail >>>	STP1.0M 90.00	STP2.0M 128.00	STP3.0M 166.00	STPM000 38.00	STPF000 12.00	STPTERM 128.00
AURORA 5 ² Power Cord (AUP) 12ga./3mm ² 	silver-clad OFC conductors Composilex insulation silver-clad brass contacts Noise Filtering Array	Part codes >>> Retail >>>	AUP1.0M 166.00	AUP2.0M 243.00	AUP3.0M 320.00	AUPM000 77.00	AUPF000 23.00	AUPTERM 141.00
ELECTRA 5 ² Power Cord (ELP) 12ga./3mm ² 	OCC copper conductors Composilex insulation silver-clad brass contacts Noise Filtering Array	Part codes >>> Retail >>>	ELP1.0M 301.00	ELP2.0M 461.00	ELP3.0M 621.00	ELPM000 160.00	ELPF000 48.00	ELPTERM 256.00
SILVER ELECTRA 5 ² Power Cord (SEP) 12ga./3mm ² 	OCC silver-clad copper conductor Composilex insulation silver-clad brass contacts Noise Filtering Array	Part codes >>> Retail >>>	SEP1.0M 576.00	SEP2.0M 896.00	SEP3.0M 1'216.00	SEPM000 320.00	SEPF000 96.00	SEPTERM 256.00
GOLD ELECTRA 5 ² Power Cord (GEP) 12ga./3mm ² 	OCC solid silver conductors Composilex insulation silver-clad brass contacts Noise Filtering Array	Part codes >>> Retail >>>	GEP1.0M 1'536.00	GEP2.0M 2'816.00	GEP3.0M 4'096.00	GEPM000 1'280.00	GEPF000 384.00	GEPTERM 256.00

SPEAKER CABLE CONNECTORS (shrink tubing not included)	Dimensions		
GOLD-PLATED OFC 1/4" SPADE	.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPDG000 2.00
GOLD-PLATED OFC 1/4" SPADE (8-pack)		Part code >>> Retail >>>	SPDG008 15.00
GOLD-PLATED OFC 1/4" SPADE (50-pack)		Part code >>> Retail >>>	SPDG050 96.00
SILVER-CLAD OFC 1/4" SPADE	.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPDSS00 5.00
SILVER-CLAD OFC 1/4" SPADE (8-pack)		Part code >>> Retail >>>	SPDSS08 41.00
SILVER-CLAD OFC 1/4" SPADE (50-pack)		Part code >>> Retail >>>	SPDSS50 256.00
UNIVERSAL GOLD-PLATED OFC SPADE	.35"/.25" (9mm/6.3mm) inside .59" (15mm) outside	Part code >>> Retail >>>	SPDU000 3.00
UNIVERSAL GOLD-PLATED OFC SPADE (8 pack)		Part code >>> Retail >>>	SPDU008 26.00
UNIVERSAL GOLD-PLATED OFC SPADE (50-pack)		Part code >>> Retail >>>	SPDU050 160.00



POWER STRIP MATRIX rack mount, shielded power cord extender		
	Part code >>> Retail >>>	MATRIX 154.00
















SCART CABLES	1.0M (40 inches)	2.0M (6.5 ft.)	3.0M (10 ft.)	5.0M (16.5 ft.)	
CHROMA 5 ² SCART (CSS) Locking Connectors Oxygen-Free Copper conductors 30-ohm high-definition audio coaxes 75-ohm video coaxes gold / silver / brass contacts 	Part codes >>> Retail >>>	CSS1.0M 94.00	CSS2.0M 111.00	CSS3.0M 304.00	CSS5.0M 119.00



SCART ADAPTERS		
SCART to S-video / video + RL audio 	Part codes >>> Retail >>>	SCMSVCF 38.00
SCART male to RGB + RL audio 	Part codes >>> Retail >>>	SCMRGBF 38.00

UNIVERSAL SILVER-CLAD OFC SPADE .35/.25" (9mm/6.3mm) inside .59" (15mm) outside		Part code >>> SPDS000 Retail >>> 6.00
UNIVERSAL SILVER-CLAD OFC SPADE (8-pack)		Part code >>> SPDS008 Retail >>> 51.00
UNIVERSAL SILVER-CLAD OFC SPADE (50-pack)		Part code >>> SPDS050 Retail >>> 320.00
GOLD-PLATED COPPER CRIMP PIN		Part code >>> PING000 Retail >>> 2.00
GOLD-PLATED COPPER CRIMP PIN (50-pack)		Part code >>> PING050 Retail >>> 80.00
GOLD 10ga. CRIMP BANANA (4-pack) Gold / Silver / Copper Alloy		Part code >>> ANGCRP04 Retail >>> 26.00
GOLD 10ga. CRIMP BANANA (50-pack) Gold / Silver / Copper Alloy		Part code >>> ANGCRP50 Retail >>> 320.00
GOLD 10ga. CRIMP BANANA (50-pack) NO SHELL, NO FERRULE Gold / Silver / Copper Alloy		Part code >>> ANGCRN50 Retail >>> 256.00
SILVER 10ga. CRIMP BANANA (4-pack) Silver-clad copper alloy		Part code >>> ANSCR04 Retail >>> 36.00
SILVER 10ga. CRIMP BANANA (50-pack) Silver-clad copper alloy		Part code >>> ANSCR050 Retail >>> 448.00
SILVER 10ga. CRIMP BANANA (50-pack) NO SHELL, NO FERRULE Silver-clad copper alloy		Part code >>> ANSCRN50 Retail >>> 384.00
ADAPTERS		
RCA T-Adapter Y-Adapter that solves clearance problems		Part codes >>> RCATADP Retail >>> 22.00

BIWIRE JUMPERS			
(Spades are standard, banana plugs optional)			
ORBIT Biwire Jumpers (set of 4)		Part code >>> JUMPORS Retail >>> 51.00	
OASIS Biwire Jumpers (set of 4)		Part code >>> JUMPOAS Retail >>> 102.00	
EQUINOX Biwire Jumpers (set of 4)		Part code >>> JUMPEQS Retail >>> 160.00	
ECLIPSE Biwire Jumpers (set of 4)		Part code >>> JUMPECS Retail >>> 230.00	
SILVER ECLIPSE Biwire Jumpers (set of 4)		Part code >>> JUMPESES Retail >>> 275.00	
GOLD ECLIPSE Biwire Jumpers (set of 4)		Part code >>> JUMPGES Retail >>> 320.00	
SILVER LOCKING BANANA PLUGS (4-pack) Silver-clad Brass		Part code >>> BANLK04 Retail >>> 128.00	

OPTICAL - DIGITAL ADAPTERS		
Toslink Coupler		Part Code >>> OPTCPLR Retail >>> 6.00
Toslink Splitter		Part Code >>> OPTYADP Retail >>> 13.00

INTERCONNECT CONNECTORS		(shrink tubing included)	
Gold Tube RCA for LUI / SOI / CRV / UVV		Part code >>> Retail >>>	CAM6.5MM <u>8.00</u>
Silver Tube RCA for OAI / EQI / STV		Part code >>> Retail >>>	CAM8.5MM <u>13.00</u>
Silver Tube RCA for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	CAM11MM <u>32.00</u>
XLR Female for OBI & QBI		Part code >>> Retail >>>	XLRFSVR <u>15.00</u>
XLR Male for OBI & QBI		Part code >>> Retail >>>	XLRMSVR <u>15.00</u>
XLR Reference Female Part code >>>		Part code >>> Retail >>>	XLRFPREF <u>32.00</u>
XLR Reference Male		Part code >>> Retail >>>	XLRMPREF <u>32.00</u>
S-VIDEO DIN plug 9mm		Part code >>> Retail >>>	SVDM9MM <u>10.00</u>
S-VIDEO DIN plug 11mm		Part code >>> Retail >>>	VDM11MM <u>15.00</u>
F CONNECTOR, HD GOLD push-on		Part code >>> Retail >>>	FCONFPO <u>11.00</u>
F CONNECTOR, HD GOLD screw-on		Part code >>> Retail >>>	CONFSCR <u>11.00</u>
BNC Male, 75 ohm for Starlight cables		Part code >>> Retail >>>	BNCMSTR <u>13.00</u>
BNC Male, 75 ohm for Chroma & Ultraviolet cables		Part code >>> Retail >>>	BNCMCRR <u>5.00</u>
HD15 Male		Part code >>> Retail >>>	VGAMALE <u>9.00</u>
HD15 Female		Part code >>> Retail >>>	VGAFEML <u>9.00</u>

PROGOLD CONTACT TREATMENT			
PROGOLD (2ml. squeeze tube) Improves performance keeps silver contacts bright		Part code >>> Retail >>>	PROGOLD <u>8.00</u>
DEOXIT (2ml. squeeze tube) cleans contacts thoroughly		Part code >>> Retail >>>	DEOXIT <u>6.00</u>

HEAT SHRINK + BRAIDED TUBING for SPEAKER CABLES		
	Part codes	Retail
Single wired (SOS/OAS/EQS)	HSSINGLE	<u>8.00</u>
Bi-wired (SOB/OAB/EQB)	HSBIWIRE	<u>12.00</u>
Reference single (ECS/SES/GES)	HSREFSGL	<u>15.00</u>
Reference biwired (ECB/SEB/GEB)	HSREFBWR	<u>23.00</u>
50 pc shrink for spades or pins	HSSPD50	<u>17.00</u>

TERMINATION SHELL FOR REFERENCE SPEAKER CABLES (4-pack)		Part code>>> Retail>>>	REFSHEL <u>102.00</u>
--	---	---------------------------	--------------------------